


www.geelonghandrails.com

## Table Of Contents About Us **Commercial Handrails** 5 **Residential Handrails** 15 Wire Balustrades 19 Glass Balustrades 22 Finishes Available 25 Locally Manufactured 26 **Streamlined Process** 27 Supply Only 28 **LED Handrails** 29 **Custom Projects** 30



# ABOUT US

"Our promise is to provide a product that is safe, looks great, meets all the current regulation and stands the test of time."

It's Geelong Handrails & Balustrades goal is to become the No.1 supplier of stainless steel handrail & balustrade products to commercial & residential clients in the marketplace. We believe Stainless Steel is the superior product in the market due to its strength & longevity so its our goal to help make the pricing more competitive for our clients using modern technology & processes.

By using stainless steel, this allows us to offer impressive lead times for custom fully welded systems while also providing a sturdy & very aesthetic finish with a long expiration date.

#### **Key Benefits:**

**Fully Welded** - No bolts to rattle loose over time, leaving you with a faulty product.

**Longevity** - The material has superior longevity qualities. No need to be concerned if finish is scratched or chipped. Simply touch up or polish.

**Smooth Finish** - No need to worry about sharp edges or burrs left from galvanisation.

**Finishes Available** - Unique stainless steel polished & satin finish as well as the ability for powder coat.

**Aesthetic** - No bulky connections, aesthetically pleasing streamline finish.

**Speed to market** - Due to not having additional finishing processes applied to the product, we can offer more attractive lead times to meet deadlines.

**Comparable pricing** - Due to off the shelf components, the price to manufacture can be comparable depending on the product.

We offer a full service including site measure & consultation, shop drawings, manufacture installation or supply only.

We want to be able to assist to our clients and give them the confidence we will provide a reliable worry free service time and time again.





## **DDA Wall Mount Handrails**

#### 50mm Round Wall Mount

Materials: - 50.8mm x 1.6mm 316 Stainless Tube

- 70mm Round Wall Plate with 12mm L Bracket & Cover Plate - 316 Stainless

**Design:** - Wall Brackets at Max 1000mm Centres

- 3 Screw Fixings per wall bracket

- Handrail sits 60mm off wall

- Handrail to sit between 865mm &

1000mm above floor level



Code: R50WM

#### 38mm Round Wall Mount

Materials: - 38.1mm x 1.6mm 316 Stainless Tube

- 70mm Round Wall Plate with 12mm L Bracket & Cover Plate - 316 Stainless

Diacket & Cover Flate - 510 Stalliless

**Design:** - Wall Brackets at Max 1000mm Centres

- 3 Screw Fixings per wall bracket

- Handrail sits 65mm off wall

- Handrail to sit between 865mm &

1000mm above floor level



#### 32mm Round Wall Mount

Materials: - 31.75mm x 1.6mm 316 Stainless Tube

- 70mm Round Wall Plate with 12mm L

Bracket & Cover Plate - 316 Stainless

**Design:** - Wall Brackets at Max 1000mm Centres

- 3 Screw Fixings per wall bracket

- Handrail sits 68mm off wall

- Handrail to sit between 865mm &

1000mm above floor level

Code: R32WM

Code: R38WM



#### **DDA Wall Mount Double Handrails**

#### 50mm Round Wall Mount Double

- 50.8mm x 1.6mm 316 Stainless Tube **Materials:** 

> - 70mm Round Wall Plate with 12mm L Bracket & Cover Plate - 316 Stainless

Design:

- Wall Brackets at Max 1000mm Centres

- 3 Screw Fixings per wall bracket

- Handrail sits 60mm off wall

- Top rail to sit between 865mm & 1000mm

above floor level

- Second rail to sit 200mm below top rail



Code: R50DWM

Code: R38DWM

#### 38mm Round Wall Mount Double

Materials: - 38.1mm x 1.6mm 316 Stainless Tube

- 70mm Round Wall Plate with 12mm L

Bracket & Cover Plate - 316 Stainless

Design:

- Wall Brackets at Max 1000mm Centres


- 3 Screw Fixings per wall bracket

- Handrail sits 65mm off wall

- Top rail to sit between 865mm &

1000mm above floor level

- Second rail to sit 200mm below top rail



#### 32mm Round Wall Mount Double

Materials: - 31.75mm x 1.6mm 316 Stainless Tube

- 70mm Round Wall Plate with 12mm L

Bracket & Cover Plate - 316 Stainless

Design:

- Wall Brackets at Max 1000mm Centres

- 3 Screw Fixings per wall bracket

- Handrail sits 68mm off wall

- Top rail to sit between 865mm &

1000mm above floor level

- Second rail to sit 200mm below top rail





#### **DDA Post Mount Handrails**

#### 50mm Round Post Mount

Materials: - 50.8mm x 1.6mm 316 Stainless Tube top rail &

posts

- 50mm Rail converter at top of posts

- 100 x 6 Disc Foot Plate & Cover plate

- Posts at Max 1250mm Centres Design:

- 3 x Fixings per base plate

- Top rail height between 865mm &

1000mm AFFL



Code: R50PM

#### 38mm Round Post Mount

- 38.1mm x 1.6mm 316 Stainless Tube top rail **Materials:** 

& posts

- 38mm Rail converter at top of posts

- 90 x 6 Disc Foot Plate & Cover plate

- Posts at Max 1250mm Centres Design:

- 3 x Fixings per base plate

- Top rail height between 865mm &

1000mm AFFL



#### **DDA Post Mount Double Handrails - Round Post**

## 50mm Round Post Mount Double - Round Post Code: R50PMD - RP

Materials: - 50.8mm x 1.6mm 316 Stainless Tube top

rail & posts

- Offset fully welded L shaped brackets

- 100 x 6 Disc Foot Plate & Cover plate

- Posts at Max 1250mm Centres & to match Design: handrail height with end cap

- 3 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL
- Second rail to sit 200mm Below top rail
- Handrail to sit 60mm off posts



#### **DDA Post Mount Double Handrails - Round Post**

#### 38mm Round Post Mount Double - Round Post Code: R38PMD - RP

Materials: - 38.1mm x 1.6mm 316 Stainless Tube top rail &

50.8mm x 1.6mm posts

- Offset fully welded L shaped brackets

- 100 x 6 Disc Foot Plate & Cover plate

- Posts at Max 1250mm Centres & to match Design:


handrail height with end cap

- 3 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL

- Second rail to sit 200mm Below top rail

- Handrail to sit 65mm off posts



#### 32mm Round Post Mount Double - Round Post

- 31.75mm x 1.6mm 316 Stainless Tube top **Materials:** 

rail & 50.8mm x 1.6mm posts

- Offset fully welded L shaped brackets

- 100 x 6 Disc Foot Plate & Cover plate

- Posts at Max 1250mm Centres & to match Design:

handrail height with end cap

- 3 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL

- Second rail to sit 200mm Below top rail

- Handrail to sit 68mm off posts



Code: R32PMD - RP

## **DDA Post Mount Double Handrails - Square Post**

#### 50mm Round Post Mount Double - Square Post

Materials: - 50.8mm x 1.6mm 316 Stainless Tube top

rail & 50 x 50 x 1.6mm SHS posts

- Offset fully welded L shaped brackets
- 100 x 6mm Foot Plate & Cover plate

- Posts at Max 1250mm Centres & to match Design:

handrail height with end cap

- 4 x Fixings per base plate
- Top rail height between 865mm & 1000mm AFFL
- Second rail to sit 200mm Below top rail
- Handrail to sit 60mm off posts





## **DDA Post Mount Double Handrails - Square Post**

## 38mm Round Post Mount Double - Square Post Code: R38PMD - SP

Materials: - 38.1mm x 1.6mm 316 Stainless Tube top rail &

 $50 \times 50 \times 1.6$ mm SHS posts

- Offset fully welded L shaped brackets

- 100 x 6mm Foot Plate & Cover plate

Design:

- Posts at Max 1250mm Centres & to match

handrail height with end cap

- 4 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL

- Second rail to sit 200mm Below top rail

- Handrail to sit 60mm off posts



#### 32mm Round Post Mount Double - Square Post

Code: R32PMD - SP

**Materials:** 

- 31.75mm x 1.6mm 316 Stainless Tube top

rail & 50 x 50 x 1.6mm SHS posts

- Offset fully welded L shaped brackets

- 100 x 6mm Foot Plate & Cover plate

Design:

- Posts at Max 1250mm Centres & to match


handrail height with end cap

- 4 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL

- Second rail to sit 200mm Below top rail

- Handrail to sit 68mm off posts



## **DDA Ramp Handrails**

#### 50mm Round DDA Ramp

Materials: - 50.8mm x 1.6mm 316 Stainless Tube top

rail & posts

- 50mm Rail converter at top of posts

- 150 x 50mm, 10mm thick fully welded

base plate, radiused corners.

 $-100 \times 6$ mm/50  $\times 10$ mm Kick Rail

Design:

- Posts at Max 1250mm Centres

- 2 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL

- Bottom of kick rail to be 70mm AFFL



Code: R50DDAR

## **DDA Ramp Handrails**

#### 38mm Round DDA Ramp

**Materials:** 

- 38.1mm x 1.6mm 316 Stainless Tube top rail & posts
- 38mm Rail converter at top of posts
- 150 x 50mm, 10mm thick fully welded base plate, radiused

corners.

 $-100 \times 6$ mm/50  $\times 10$ mm Kick Rail

Design:

- Posts at Max 1250mm Centres
- 2 x Fixings per base plate
- Top rail height between 865mm & 1000mm AFFL
- Bottom of kick rail to be 70mm AFFL

Code: R38DDAR



## **DDA Ramp Double Handrails - Round Post**

#### 50mm Round DDA Ramp Double - Round Post

Materials:

- 50.8mm x 1.6mm 316 Stainless Tube top rail & posts
- Offset fully welded L shaped brackets
- 150  $\times$  50mm, 10mm thick fully welded base plate, radiused corners.
- $-100 \times 6$ mm/50  $\times 10$ mm Kick Rail

Design:

- Posts at Max 1250mm Centres & to match handrail height with end cap
- 2 x Fixings per base plate
- Top rail height between 865mm & 1000mm AFFL
- Second rail to sit 200mm Below top rail
- Bottom of kick rail to be 70mm AFFL
- Handrail to sit 60mm off posts

Code: R50DDARD - RP



## 38mm Round DDA Ramp Double - Round Post

**Materials:** 

- 38.1mm x 1.6mm 316 Stainless Tube top rail & 50.8mm x 1.6mm posts
- Offset fully welded L shaped brackets
- 150 x 50mm, 10mm thick fully welded base plate, radiused corners.
- $-100 \times 6$ mm/50  $\times 10$ mm Kick Rail

Design:

- Posts at Max 1250mm Centres & to match handrail height with end cap
- 2 x Fixings per base plate
- Top rail height between 865mm & 1000mm AFFL
- Second rail to sit 200mm Below top rail
- Bottom of kick rail to be 70mm AFFL
- Handrail to sit 65mm off posts

ost

Code: R38DDARD - RP



PAGE 11

## **DDA Ramp Double Handrails - Round Post**

#### 32mm Round DDA Ramp Double - Round Post

Materials:

- 31.75mm x 1.6mm 316 Stainless Tube top rail & 50.8mm x 1.6mm posts

- Offset fully welded L shaped brackets
- 150 x 50mm, 10mm thick fully welded base plate, radiused corners
- $-100 \times 6$ mm/50 x 10mm Kick Rail

Design:

- Posts at Max 1250mm Centres & to match handrail height with end cap
- 2 x Fixings per base plate
- Top rail height between 865mm & 1000mm AFFL
- Second rail to sit 200mm Below top rail
- Bottom of kick rail to be 70mm AFFL
- Handrail to sit 68mm off posts



Code: R32DDARD - RP

## **DDA Ramp Double Handrails - Square Post**

#### 50mm Round DDA Ramp Double - Square Post

- **Materials:** -50.8mm x 1.6mm 316 Stainless Tube top rail & 50 x 50 x 1.6mm SHS posts
  - Offset fully welded L shaped brackets
  - 150 x 50mm, 10mm thick fully welded base plate, radiused
  - $-100 \times 6$ mm/50  $\times 10$ mm Kick Rail

Design:

- Posts at Max 1250mm Centres & to match handrail height with end cap
- 2 x Fixings per base plate
- Top rail height between 865mm & 1000mm AFFL
- Second rail to sit 200mm Below top rail
- Bottom of kick rail to be 70mm AFFL
- Handrail to sit 60mm off posts

Code: R50DDARD - SP



#### 38mm Round DDA Ramp Double - Square Post

**Materials:** 

- 38.1mm x 1.6mm 316 Stainless Tube top rail & 50 x 50 x 1.6mm SHS posts
- Offset fully welded L shaped brackets
- 150 x 50mm, 10mm thick fully welded base plate, radiused corners.
- $-100 \times 6$ mm/50  $\times 10$ mm Kick Rail

Design:

- Posts at Max 1250mm Centres & to match handrail height with end cap
- 2 x Fixings per base plate
- Top rail height between 865mm & 1000mm AFFL
- Second rail to sit 200mm Below top rail
- Bottom of kick rail to be 70mm AFFL
- Handrail to sit 65mm off posts

Code: R38DDARD - SP



## DDA Ramp Double Handrails - Round Post

#### 32mm Round DDA Ramp Double - Square Post

Materials: -31.75mm x 1.6mm 316 Stainless Tube top rail & 50 x 50 x

1.6mm SHS posts

- Offset fully welded L shaped brackets

- 150 x 50mm, 10mm thick fully welded base plate,

radiused corners.

 $-100 \times 6$ mm/50  $\times 10$ mm Kick Rail

Design:

- Posts at Max 1250mm Centres & to match handrail height with end cap

- 2 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL

- Second rail to sit 200mm Below top rail

- Bottom of kick rail to be 70mm AFFL

- Handrail to sit 68mm off posts



Code: R32DDARD - SP

#### **DDA Handrail Terminations**

#### **180 Degree Termination**

**Materials:** 

- 180 degree bend as per AS: 1528.3 standard

- Slightly Domed Knock in end cap

Design:

- 300mm Extension from floor level

- Fully Welded & Polished 180 degree elbow

- Knock in cap with fusion weld underneath to

conceal



Code: 180T

Code: RTFT

#### **Return To Floor Termination**

Materials: - 90 degree bend as per AS: 1528.3

standard

- Foot Plate With Cover Plate

Design:

- 300mm Extension from floor level

- Seamless finish 90 degree elbow post

- Welded Foot Plate With Cover Plate

- Foot Plate with 3 x Floor Fixings





## **DDA Handrail Terminations**

#### **Return Back Termination**

Materials: - Custom 70 degree Bend

- Foot Plate With Cover Plate

Design:

- 300mm Extension from floor level

- Seamless finish 70 degree elbow

- 150mm Section at bottom of post

- Welded Foot Plate With Cover Plate

- Foot Plate with 3 x Floor Fixings





Code: RBT

#### **Double Rail Continuous Termination**

Materials: - 90 degree bends as per AS: 1528.3 standard

Design:

- 300mm Extension from floor level

- Seamless finish continuous 90 degree elbows





Code: DRCT



## RESIDENTIAL HANDRAILS

## **Wall Mount Handrails**

#### 50mm Round Wall Mount

Materials: - 50.8mm x 1.6mm 316 Stainless Tube

- 70mm Round Wall Plate with 12mm L Bracket & Cover

Plate - 316 Stainless

Design:

- Wall Brackets at Max 1000mm Centres

- 3 Screw Fixings per wall bracket

- Handrail sits 60mm off wall

- Handrail to sit between 865mm & 1000mm

above floor level



#### 38mm Round Wall Mount

**Materials:** 

- 38.1mm x 1.6mm 316 Stainless Tube
- 70mm Round Wall Plate with 12mm L Bracket &

Cover Plate - 316 Stainless

Design:

- Wall Brackets at Max 1000mm Centres
- 3 Screw Fixings per wall bracket
- Handrail sits 65mm off wall
- Handrail to sit between 865mm & 1000mm above

floor level

Code: R38WM



#### 32mm Round Wall Mount

- Materials: 31.75mm x 1.6mm 316 Stainless Tube
  - 70mm Round Wall Plate with 12mm L Bracket & Cover Plate - 316 Stainless

Design:

- Wall Brackets at Max 1000mm Centres
- 3 Screw Fixings per wall bracket
- Handrail sits 68mm off wall
- Handrail to sit between 865mm & 1000mm above floor level

Code: R32WM



## RESIDENTIAL HANDRAILS

#### **Wall Mount Handrails**

#### 50 x 25mm Wall Mount

Materials: - 50 x 25 x 1.6mm 316 Stainless Tube

- 70mm Round Wall Plate with 12mm L Bracket & Cover

Plate - 316 Stainless

**Design:** - Wall Brackets at Max 1000mm Centres

- 3 Screw Fixings per wall bracket

- Handrail sits 60mm off wall

- Handrail to sit between 865mm & 1000mm

above floor level



Code: R5025WM

#### 50 x 10mm Wall Mount

Materials: - 50 x 10 x 1.6mm 316 Stainless Tube

- 70mm Round Wall Plate with 12mm L Bracket &

Cover Plate - 316 Stainless

**Design:** - Wall Brackets at Max 1000mm Centres

- 3 Screw Fixings per wall bracket

- Handrail sits 60mm off wall

- Handrail to sit between 865mm & 1000mm above

floor level



Code: R5010WM

## **Post Mount Handrails**

#### **50mm Round Post Mount**

**Materials:** - 50.8mm x 1.6mm 316 Stainless Tube top

rail & posts

- 50mm Rail converter at top of posts

- 100 x 6 Disc Foot Plate & Cover plate

**Design:** - Posts at Max 1250mm Centres

- 3 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL



Code: R50PM

## RESIDENTIAL HANDRAILS

#### **Post Mount Handrails**

#### 38mm Round Post Mount

Materials: - 38.1mm x 1.6mm 316 Stainless Tube top rail & posts

- 38mm Rail converter at top of posts

- 90 x 6 Disc Foot Plate & Cover plate

- Posts at Max 1250mm Centres Design:

- 3 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL



Code: R38PM

#### 50 x 25mm Post Mount

Materials: - 50 x 25 x 1.6mm 316 Stainless Tube top rail & posts

- 50mm Rail converter at top of posts

- 100 x 6 Square Foot Plate & Cover plate

- Posts at Max 1250mm Centres Design:

- 4 x Fixings per base plate

- Top rail height between 865mm & 1000mm AFFL



Code: R5025PM

#### 50 x 10mm Post Mount

**Materials:**  $-50 \times 10 \times 1.6$ mm 316 Stainless Tube top rail

& posts

- 50mm Rail converter at top of posts

- 100 x 6 Square Foot Plate & Cover plate

- Posts at Max 1250mm Centres Design:

- 4 x Fixings per base plate

- Top rail height between 865mm & 1000mm

**AFFL** 



Code: R5010PM



# WIRE BALUSTRADE

Wire Balustrades are a great timeless product that can be minimalistic and very low maintenance while having the benefits of allowing some additional breeze through on the warmer summer nights. They are an ideal product for decks, ledges and even retaining walls. Our wire balustrades meet the current NCC standards and are manufactured from 316 Stainless steel for strength and longevity.



## **WIRE BALUSTRADE**

#### Horizontal Wire Balustrade

#### **Round Wire Balustrade**

Materials: - 50.8 x 1.6mm 316 Stainless Tube top rail & posts

- 50mm Rail converter at top of posts

- 100 x 6 Disc Foot Plate & Cover plate

- 3.2mm 316 Wire with rigging screws, fork terminals &

M6 eyelets

**Design:** - Posts at Max 1250mm Centres

- 3 x Fixings per base plate

- Top rail height to be 1050mm AFFL

- 11 Runs of Wire & 80mm Spacings



Code: RWB

Code: SQWB

Code: SQFFWB

#### **Square Wire Balustrade**

Materials: - 50 x 25 x 1.6mm 316 Stainless Tube top rail & 50 x 50

x 1.6mm SHS posts

- 50mm Rail converter at top of posts

- 100 x 6 Square Foot Plate & Cover plate

- 3.2mm 316 Wire with rigging screws, fork terminals &

M6 eyelets

**Design:** - Posts at Max 1250mm Centres

- 4 x Fixings per base plate

- Top rail height to be 1025mm AFFL

- 11 Runs of Wire & 80mm Spacings



#### Square Full Frame Wire Balustrade

**Materials:**  $-50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail

&~50~x~50~x~1.6mm~SHS~posts

 $-150 \times 50 \times 6$ mm top plate

- 100 x 6 Square Foot Plate & Cover plate

- 3.2mm 316 Wire with rigging screws, fork

terminals & M6 eyelets

**Design:** - Posts at Max 1250mm Centres

- 4 x Fixings per base plate

- Top rail height to be 1025mm AFFL

- 11 Runs of Wire & 80mm Spacings



## **WIRE BALUSTRADE**

## Horizontal Wire Balustrade

#### Rectangle Full Frame Wire Balustrade

Materials:  $-50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 317 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 317 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 25 \times 1.6$ mm 318 Stainless Tube top rail,  $50 \times 1.6$ mm 318 Stainless T

1.6mm Intermediate posts & 50 x 50mm posts on

corners & ends

- $-125 \times 50 \times 6$ mm top plate
- $125 \times 50 \times 10$ mm base plate
- 3.2mm 316 Wire with rigging screws, fork terminals & M6 eyelets



- Posts at Max 1250mm Centres
- 2 x Fixings per base plate
- Top rail height to be 1025mm AFFL
- 11 Runs of Wire & 80mm Spacings



Code: RFFWB

Code: FFFWB

#### Flat Full Frame Wire Balustrade

Materials:  $-50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail,  $50 \times 10 \times 10$ 1.6mm Intermediate posts & 50 x 50mm posts on corners & ends

- $110 \times 50 \times 6$ mm top plate
- $110 \times 50 \times 10$ mm base plate
- 3.2mm 316 Wire with rigging screws, fork terminals & M6 eyelets

Design:

- Posts at Max 1250mm Centres
- 2 x Fixings per base plate
- Top rail height to be 1025mm AFFL
- 11 Runs of Wire & 80mm Spacings





## **GLASS BALUSTRADE**

#### Semi Frameless Glass Balustrades

#### Round D Clamp Balustrade

Materials: - 50.8 x 1.6mm 316 Stainless Tube top rail & posts

- 50mm Rail converter at top of posts

- 100 x 6 Disc Foot Plate & Cover plate

- 2205 Stainless Glass D Clamps

- 10mm Toughened Clear Glass

**Design:** - Posts at Max 1250mm Centres

- 3 x Fixings per base plate

- Top rail height to be 1020mm AFFL

- 4 x D Clamps per glass post



Code: RDCB

Code: SQDCB

Code: SQFFDCB

#### Square D Clamp Balustrade

Materials: - 50 x 25 x 1.6mm 316 Stainless Tube top rail & 50 x 50

x 1.6mm SHS posts

- 50mm Rail converter at top of posts

- 100 x 6 Square Foot Plate & Cover plate

- 2205 Stainless Glass D Clamps

- 10mm Toughened Clear Glass

**Design:** - Posts at Max 1250mm Centres

- 4 x Fixings per base plate

- Top rail height to be 1020mm AFFL

- 4 x D Clamps per glass post



#### Square Full Frame D Clamp Balustrade

**Materials:**  $-50 \times 25 \times 1.6$ mm 316 Stainless Tube top rail

& 50 x 50 x 1.6mm SHS posts

 $-150 \times 50 \times 6$ mm Top Plate

- 100 x 6 Square Foot Plate & Cover plate

- 2205 Stainless Glass D Clamps

- 10mm Toughened Clear Glass

**Design:** - Posts at Max 1250mm Centres

- 4 x Fixings per base plate

- Top rail height to be 1020mm AFFL

- 4 x D Clamps per glass post



## **GLASS BALUSTRADE**

#### Frameless Glass Balustrade

#### Mini Post - Top Rail

Materials: - 2205 Stainless Mini Posts with Cover Plates

- 12mm Toughened Clear Glass

- 21 x 25 x 1.6mm Slotted Top Rail

**Design:** - Glass Panels to be Max 1300mm

- 2 x Mini Posts per glass panel

- 4 x Fixings per Mini Post

- Finished Balustrade height sits 1040mm AFFL



Code: MPTR

Code: MPSR

#### Mini Post - Side Rail

Materials: - 2205 Stainless Mini Posts with Cover Plates

- 12mm Toughened Clear Glass

-  $50 \times 10 \times 1.6$ mm/ $50 \times 25 \times 1.6$ mm Offset Handrail

- L Shaped Patch fitting glass brackets

**Design:** - Glass Panels to be Max 1300mm

- 2 x Mini Posts per glass panel

- 4 x Fixings per Mini Post

- Finished Balustrade height sits 1040mm AFFL

- Handrail to sit 50mm off glass



# FINISHES AVAILABLE

We offer both stainless steel finishes and powder coated finish for colour applications.

#### Stainless Finshes:

**Satin Finish** - The satin finish offers a brushed polished consistent look, it has less gloss & shine. Polished to a No.4 finish.

Not ideal for Coastal Areas, great for indoor and commercial projects.

May require some cleaning maintenance.



Polished Finish - The polished finish offers mirror consistent look, it is high gloss & shine.

Polished to a 320 - 600 Grit finish.

Ideal for Coastal & higher salinity areas.

Low maintenance required, little to no tea staining.



#### Powder Coat Finish:

We offer the Dulux Duralloy Solid Color Range:









# STREAMLINED PROCESS

We understand this is a relatively small but important component of the build so we take pride in making the process as smooth & effective as possible for our clients.

## 1. Client Consultation



Either in person or via email, well establish what it is you require and if its something we can assist with.

#### 2. Design Selection



Selection of the design the client requires for there project with consultation on compliance and finishing options.

#### 3. Provide Proposal



Submission of proposal indicating the cost of the project and a description of scope of works.

# ×

#### 6. Shop Drawings



Production of shop drawings for manufacturing & installation set out. Additional client approval if requested by client.



#### 5. Design Approval



Confirmation with client of the specifications of the product to gain confirmation prior to producing shop drawings.



#### 4. Site Measure



An on-site visit to measure the proposed area for new handrails & balustrades. Measurements to be provided for CAD drawings.



#### 7. Manufacture



The manufacturing of the product as per clients requests.

Material Finishes & Packaging if required.



#### 8. Site Delivery



If included and a supply only project, we will deliver to site.

If we are installing, we will deliver with installation team on the day of installation.



#### 9. Installation



Installation of product by our team of handrail specialists. If client is installing themself, installation drawings and support provided.




connection plates, we provide the product in fully welded sections, ready to be fixed down. We deliver the same process right through to delivery to site.

This gives our clients the option to save on installation costs or use our products in areas we don't offer installation. Ask for the supply only price to be itemised on you're next quote.

# LED HANDRAILS

We can offer LED provisions for most of our handrails. Utilising slotted top rails or LED light cut outs, we can provide our handrails with the ability for LED electrical components to be installed after installation.


We give our clients the comfort knowing the electrical installation will be a smooth process as the handrails have been manufactured correctly due to our experience with LED handrail installations. Ask for the LED option to be added to your next quotation.





The sizes we offer LED allowances on are 50.8mm Round, 38.1mm Round & 50 x 25mm. Our handrails will come with a 15 x 15mm slot which allows for a LED channel to be installed. We will also provide holes for the wire to pass through at pre-selected points as well as run a drag wire through when installing to help with the electrical installation.





#### **CONTACT US:**



www.geelonghandrails.com info@geelonghandrails.com Ph: 0411038455

